

**ZYMIT® Pro**  
Temporary Rubber Lubricant Gel  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**SECTION 1: Identification**

**1.1 Product identifier**

Trade name **ZYMIT® Pro**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses  
All-purpose cleaner  
Temporary Rubber Assembly Lubricant  
Industrial use  
Do not use for private purposes (household)

**1.3 Details of the supplier of the safety data sheet**

International Products Corporation  
201 Connecticut Drive  
Burlington NJ 08016  
United States

Telephone: +1 (609) 386-8770  
Telefax: +1 (609) 386-8438  
e-mail: [mkt@ipcol.com](mailto:mkt@ipcol.com)  
Website: <https://www.ipcol.com/>

**1.3.1 Additional information**

Manufacturer						
Name	Street	Postal code/city	Country	Telephone	e-Mail	Website
International Products Corporation	201 Connecticut Drive	08016 Burlington	United States	1-609-386-8770	<a href="mailto:mkt@ipcol.com">mkt@ipcol.com</a>	<a href="http://www.ipcol.com">www.ipcol.com</a>

**1.4 Emergency telephone number**

1.4.1 Emergency information service **+1 (609) 386-8770**  
This number is only available during the following office hours: Mon-Fri 08:00 AM - 04:30 PM, Eastern Time

**SECTION 2: Hazard(s) identification**

**2.1 Classification of the substance or mixture**

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification acc. to GHS				
Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2B	Eye Irrit. 2B	H320

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4R	respiratory sensitization	1	Resp. Sens. 1	H334

For full text of abbreviations: see SECTION 16.

**2.2 Label elements**

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)


- Signal word danger

- Pictograms

GHS08



Hazard statements.

Signal word	Symbol(s)	Code	Hazard statement.
danger		H315+H320	causes skin and eye irritation
		H334	may cause allergy or asthma symptoms or breathing difficulties if inhaled

- Precautionary statements

Code	Precautionary statements.
P261	avoid breathing dust/fume/gas/mist/vapors/spray.
P280	wear protective gloves.
P285	in case of inadequate ventilation wear respiratory protection.
P302+P352	if on skin: Wash with plenty of water.
P304+P341	if inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	specific treatment (see on this label).
P332+P313	if skin irritation occurs: Get medical advice/attention.
P337+P313	if eye irritation persists: Get medical advice/attention.
P342+P311	if experiencing respiratory symptoms: Call a poison center/doctor.
P362	take off contaminated clothing and wash it before reuse.
P501	dispose of contents/container to industrial combustion plant.

2.2.1.7- Hazardous ingredients for labelling

Protease (Subtilisin)

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**2.3 Other hazards**

Hazards not otherwise classified

Supplemental hazard information	
Code	Supplemental hazard information
EUH208	contains Protease (Subtilisin). May produce an allergic reaction.
HNOC010	harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .






**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not relevant (mixture)

**3.2 Mixtures**

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Water	CAS No 7732-18-5	50 - < 75		
Glycerin	CAS No 56-81-5	5 - < 10	Acute Tox. 2 / H300	
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	CAS No 68584-25-8	1 - < 5	Skin Corr. 1C / H314 Eye Dam. 1 / H318 HNOC001 HNOC010	
Protease (Subtilisin)	CAS No 9014-01-1	0.05 - < 0.5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 STOT SE 3 / H335 HNOC009	  

**SECTION 4: First-aid measures**

**4.1 Description of first-aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

**Following skin contact**

Wash with plenty of soap and water.

**Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Appropriate containment techniques

Use of adsorbent materials.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities**

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 2 – 25 °C

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	triethanolamine	102-71-6	PEL (CA)		5						Cal/ OSHA PEL
US	triethanolamine	102-71-6	TLV®		5						ACGIH® 2022
US	glycerine	56-81-5	REL							mist, appx-D	NIOSH REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1000
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1000
US	enzymes, subtilisin	9014-01-1	TLV®						0.00006	enzym	ACGIH® 2022
US	subtilisin	9014-01-1	PEL (CA)				0.00006			enzym	Cal/ OSHA PEL

## ZYMIT® Pro Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	Subtilisins (Carlsburg)	9014-01-1	REL				0.00006 (60 min)				NIOSH REL

#### Notation

appx-D	see Appendix D - Substances with No Established RELs
Ceiling-C	ceiling value is a limit value above which exposure should not occur
enzym	calculated as 100 % pure crystalline enzyme
i	inhalable fraction
mist	as mists
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Glycerin	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	DNEL	4.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	DNEL	5.29 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Glycerin	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerin	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerin	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Glycerin	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerin	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Glycerin	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)

## ZYMIT® Pro Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	0.268 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	0.027 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	7 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	8.1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	8.1 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	PNEC	35 mg/kg	terrestrial organisms	soil	short-term (single instance)
Protease (Subtilisin)	9014-01-1	PNEC	1.7 µg/l	aquatic organisms	freshwater	short-term (single instance)
Protease (Subtilisin)	9014-01-1	PNEC	0.17 µg/l	aquatic organisms	marine water	short-term (single instance)
Protease (Subtilisin)	9014-01-1	PNEC	65,000 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Protease (Subtilisin)	9014-01-1	PNEC	568 µg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use protective eyewear to guard against splash of liquids. Work with safety glasses.

Skin protection

- Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

- Type of material

PVC: polyvinyl chloride, PE: polyethylene, NR: natural rubber, latex, CR: chloroprene (chlorobutadiene) rubber, NBR: acrylonitrile-butadiene rubber, IIR: isobutene-isoprene (butyl) rubber, FKM: fluoro-elastomer, PVA: polyvinyl alcohol, Nitrile

- Material thickness

At least 4 mil.

- Breakthrough times of the glove material

>240 minutes (permeation: level 5)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Half mask (EN 140). Type : A (against organic gases and vapors with a boiling point of > 65 °C , color code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

Physical state	liquid
Color	clear
Particle	not relevant (liquid)
Odor	characteristic

**Other safety parameters**

pH (value)	6.9 – 8.4 (25 °C)
Melting point/freezing point	-8 °C
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)



**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Explosive limits

- Lower explosion limit (LEL)	2.7 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	20 Pa at 25 °C
Density	1.04 – 1.12 g/ml at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	370 °C (auto-ignition temperature (liquids and gases))
Explosive properties	none
Oxidizing properties	none

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

Shelf-life. Two years from the date of manufacture.

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

Do not mix with other chemicals.

**10.5 Incompatible materials**

Avoid extended contact with uncured paint, zinc, aluminum, cold rolled steel, or copper and its alloys. Avoid contact with polycarbonate, polymethyl methacrylate, and polyphenylene oxide as these plastics may craze over time. Refer to product's compatibility sheets for further details.

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

Basis of test data.

Classification procedure

The classification is based on tested mixture.

**Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes eye irritation.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
EC50	26.6 mg/l	fathead minnow	72 h
EC50	37.9 mg/l	water flea (Daphnia)	48 h

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Glycerin	56-81-5	LC50	54,000 mg/l	fish	96 h
Protease (Subtilisin)	9014-01-1	LC50	14.6 mg/l	fish	96 h
Protease (Subtilisin)	9014-01-1	EC50	1.29 mg/l	aquatic invertebrates	24 h
Protease (Subtilisin)	9014-01-1	ErC50	1.48 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Protease (Subtilisin)	9014-01-1	EC50	0.21 mg/l	fish	32 d

**12.2 Persistence and degradability**

Data are not available.

**12.3 Bioaccumulative potential**

Data are not available.

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Endocrine disrupting properties**

None of the ingredients are listed.

**12.7 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Sewage disposal-relevant information

May be disposed according to local, state and federal regulations.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**SECTION 14: Transport information**

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations specific for the product in question**

**National regulations (United States)**

**Toxic Substance Control Act (TSCA)** all ingredients are listed as "ACTIVE"

**Superfund Amendment and Reauthorization Act (SARA TITLE III )**

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

None of the ingredients are listed.

- Specific Toxic Chemical Listings (EPCRA Section 313)

None of the ingredients are listed

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

None of the ingredients are listed.

**Clean Air Act**

None of the ingredients are listed.

**Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Glycerin	56-81-5		

**National inventories**

Country	National inventories	Status
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Country	National inventories	Status
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

**Legend**

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value

## ZYMIT® Pro Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

Abbr.	Descriptions of used abbreviations
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Resp. Sens.	Respiratory sensitization
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

**ZYMIT® Pro**  
Liquid Enzyme Cleaner

Date of issue: 2023-03-23

Replaces version 2022-11-18

**Key literature references and sources for data**

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

The classification is based on tested mixture.

Classification on the basis of specific effects on human health (CMR effects)

The classification is based on:

Harmonized (legal) classification.

Classification on the basis of environmental effects

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**List of relevant phrases (code and full text as stated in section 2 and 3)**

Code	Text
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H320	Causes eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.